



Anzugsmomente für Radschrauben und Radmuttern bei Alu-Felgen

Alle Angaben ohne Gewähr! Die aktuelle Version finden Sie unter
www.apadio.de/felgen-anzugsmomente

Alfa	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	33 (905,905A,907,907A)	58.6	4x98	RS: M 12 x 1,25	90
	75 (162B)	58.6	4x98 5x98	RM: M 12 x 1,5	90
	145 (930)	58.1	4x98	RS: M 12 x 1,25	90
	146 (930)	58.1	4x98	RS: M 12 x 1,25	90
	147 (937)	58.1	5x98	RS: M 12 x 1,25	100
	155 (167)	58.1	4x98	RS: M 12 x 1,25	90
	156 (932)	58.1	5x98	RS: M 12 x 1,25	100
	159 (939)	65.1	5x110	RS: M 14 x 1,5	110
	164 (164)	58.1	4x98 5x98	RS: M 12 x 1,25	90
	166 (936)	58.1	5x108	RS: M 12 x 1,25	100
	Alfetta Giulietta (116..)	58.6	4x98	RS: M 12 x 1,25	100
	Alfasud (981..)	58.6	4x98	RS: M 12 x 1,25	100
	Brera (939)	65.1	5x110	RS: M 14 x 1,5	110
	Crosswagon Q4 (932)	58.1	5x98	RS: M 12 x 1,25	100
	Giulia (952)	65.1	5x110	RS: M 14 x 1,5	125
	Giulietta (940)	65.1	5x110	RS: M 12 x 1,25	110
	GT (937)	58.1	5x98	RS: M 12 x 1,25	100
	GTV (916)	58.1	5x98	RS: M 12 x 1,25	100
	MiTo (955)	58.1	4x98	RS: M 12 x 1,25	90
	Spider (939)	65.1	5x110	RS: M 14 x 1,5	110
	Spyder (916)	58.1	5x98	RS: M 12 x 1,25	100
	Stelvio (949)	65.1	5x110	RS: M 14 x 1,5	130
Audi	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	A1(8X)	57.1	5x100	RS: M 14 x 1,5	120
	A2 (8Z)	57.1	5x100	RS: M 14 x 1,5	120
	A3/S3 (8L)	57.1	5x100	RS: M 14 x 1,5	120
	A3/S3/RS3 (8P,8V)	57.1	5x112	RS: M 14 x 1,5	120 - 140
	A4/S4 (B5,8E,8H)	57.1	5x112	RS: M 14 x 1,5	120 - 140
	A4 (B8)	66.6	5x112	RS: M 14 x 1,5	120 - 140
	A5/S5/RS5 (B8)	66.6	5x112	RS: M 14 x 1,5	120 - 140

	A6/S6 (C4,4B,4F)	57.1	5x112	RS: M 14 x 1,5	120 - 140
	A6/S6 (4G)	66.6	5x112	RS: M 14 x 1,5	120 - 140
	A7/S7 (4G)	66.6	5x112	RS: M 14 x 1,5	120 - 140
	A8/S8 (D2,4E)	57.1	5x112	RS: M 14 x 1,5	120 - 140
	A8/S8 (4H)	66.6	5x112	RS: M 14 x 1,5	120 - 140
	Q2 (GA)	57.1	5x112	RS: M 14 x 1,5	120
	Q3 (8U,8U1)	57.1	5x112	RS: M 14 x 1,5	140 - 200
	Q5 (8R,FY)	66.6	5x112	RS: M 14 x 1,5	140
	Q7 (4L)	71.6	5x130	RS: M 14 x 1,5	160
	Q7 (4L,4L1)	66.6	5x112	RS: M 14 x 1,5	160
	R8 (42,42A)	57.1	5x112	RS: M 14 x 1,5	120
	TT (8N)	57.1	5x100	RS: M 14 x 1,5	120
	TT (8J)	57.1	5x112	RS: M 14 x 1,5	120 - 140
	80 90 (81)	57.1	4x100	RS: M 12 x 1,5	110
	80 90 Coupe (85,89,B4)	57.1	4x108	RS: M 14 x 1,5	120
	100 200 Cabriolet (44,89)	57.1	4x108	RS: M 14 x 1,5	120
BMW	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	1er (E81,E82,E87,E88)	72.6	5x120	RS: M 12 x 1,5	110
	1er (F20,F21,F22,F23)	72.6	5x120	RS: M 14 x 1,25	130
	2er (F22,F87)	72.6	5x120	RS: M 14 x 1,25	130
	2er Active/Gran -Tourer (F45)	66.7	5x112	RS: M 14 x 1,25	140
	3er (E30)	57.1	4x100	RS: M 12 x 1,5	110
	3er (E36)	72.6	5x120	RS: M 12 x 1,5	110
	3er (E46,E90)	72.6	5x120	RS: M 12 x 1,5	120
	3er (F30,F31)	72.6	5x120	RS: M 14 x 1,25	130
	3er GT (F34)	72.6	5x120	RS: M 14 x 1,25	130
	4er (F32,F33)	72.6	5x120	RS: M 14 x 1,25	130
	5er (E28,E34,E60)	72.6	5x120	RS: M 12 x 1,5	120
	5er (E39)	74.1	5x120	RS: M 12 x 1,5	120
	5er (F10,F11)	72.6	5x120	RS: M 14 x 1,25	130
	5er GT (F07)	72.6	5x120	RS: M 14 x 1,25	130
	5er (G30,G31)	66.7	5x112	RS: M 14 x 1,25	140
	6er (E24,E63,E64)	72.6	5x120	RS: M 12 x 1,5	120
	6er (F12,F13)	72.6	5x120	RS: M 14 x 1,25	120
	7er (E32,E38)	72.6	5x120	RS: M 12 x 1,5	110
	7er (E65)	72.6	5x120	RS: M 14 x 1,5	140
	7er (F01,F02,F03,F04)	72.6	5x120	RS: M 14 x 1,25	130
	7er (G11,G12)	66.7	5x112	RS: M 14 x 1,25	140
	8er (E31)	72.6	5x120	RS: M 12 x 1,5	110
	i3 (i-Reihe, BMWi1)	66.6	5x112	RS: M 14 x 1,25	120

	X1 (E84)	72.6	5x120	RS: M 12 x 1,5	120
	X1 (F48)	66.7	5x112	RS: M 14 x 1,25	140
	X3 (E83)	72.6	5x120	RS: M 14 x 1,5	140
	X3 (F25)	72.6	5x120	RS: M 14 x 1,25	140
	X3 (G01)	66.7	5x112	RS: M 14 x 1,25	140
	X4 (F26)	72.6	5x120	RS: M 14 x 1,25	130
	X5 (E53)	72.6	5x120	RS: M 14 x 1,5	140
	X5 (E70,F15)	74.1	5x120	RS: M 14 x 1,25	140
	X6 (E71,E72)	74.1- 72.6	5x120	RS: M 14 x 1,25	140
	X6 (F16)	74.1	5x120	RS: M 14 x 1,25	140
	Z3 (E36)	72.6	5x120	RS: M 12 x 1,5	110
	Z4 (E85,E86,E89)	72.6	5x120	RS: M 12 x 1,5	110
	Z8 (E52)	72.6	5x120	RS: M 12 x 1,5	110
BMW Mini	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Mini ab Modelljahr 2014	66.7	5x112	RS: M 14 x 1,25	140
	Mini Countryman (UKL..)	72.6	5x120	RS: M 14 x 1,25	140
	Mini Countryman (FMX)	66.7	5x112	RS: M 14 x 1,25	140
	Mini Clubman (FMK)	66.7	5x112	RS: M 14 x 1,25	140
	Mini Paceman (UKL..)	72.6	5x120	RS: M 14 x 1,25	140
	Mini bis Modelljahr 2006	56.1	4x100	RS: M 12 x 1,5	110
	Mini ab Modelljahr 2007 bis 2014	56.1	4x100	RS: M 14 x 1,25	130
Bentley	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Continental (3W)	57.1	5x112	RS: M 14 x 1,5	150
Cadillac	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	BLS (YSCF)	65.1	5x110	RM: M 12 x 1,5	110
	CTS (GM320)	70.2	5x115	RM: M 12 x 1,5	120
	SRX (GMT265)	70.2	6x115	RM: M 12 x 1,5	110
	STS (GMX295)	70.2	5x115	RM: M 12 x 1,5	120
Chevrolet	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Aveo (KLAS)	56.6	4x100	RM: M 12 x 1,5	120
	Aveo (KL1T)	56.6	4x100	RM: M 12 x 1,5	140
	Aveo (KL1T)	56.6	5x105	RM: M 12 x 1,5	140
	Blazer (GMT330)	70.1	5x120,65	RM: M 12 x 1,5	110
	Camaro (A,FA)	70.1	5x120,65	RM: M 12 x 1,5	110
	Captiva (KLAC,KLAD)	70.2	5x115	RM: M 12 x 1,5	125
	Corvette (Y)	70.1	5x120,65	RM: M 12 x 1,5	110
	Cruze (KL1J)	56.6	5x105	RM: M 12 x 1,5	125
	Cruze (KL1J)	70.2	5x115	RM: M 12 x 1,5	125
	Epica (KLAL)	56.6	4x114,3	RM: M 12 x 1,5	120
	Evanda (KLAL)	56.6	4x114,3	RM: M 12 x 1,5	120

	Kalos (KLAS)	56.6	4x100	RM: M 12 x 1,5	120
	Lacetti (KLAN)	56.6	4x114,3	RM: M 12 x 1,5	120
	Malibu (KL1G)	67.1	5x120	RM: M 14 x 1,5	150
	Matiz (KLAK,KLYA,SUPA,UU..)	69.1	4x114,3	RM: M 12 x 1,25	100
	Orlando (KL1Y)	70.2	5x115	RM: M 12 x 1,5	150
	Spark (KL1M)	56.6	4x100	RM: M 12 x 1,5	100
	Trax (KL1B)	56.6	5x105	RM: M 12 x 1,5	140
	Trans Sport (GM200-Chev.)	70.2	5x115	RM: M 12 x 1,5	140
Chrysler	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	300 C (LX)	71.6	5x115	RM: M 14 x 1,5	135
	300 M (LR)	71.6	5x114,3	RM: M 12 x 1,5	120
	Crossfire (ZH)	66.6	5x112	RS: M 12 x 1,5	110
	Grand Voyager (RT)	71.6	5x127	RM: M 12 x 1,5	130
	Neon (PL)	57.1	5x100	RM: M 12 x 1,5	110
	New Yorker (EB6F,DB6F,LH)	71.6	5x114,3	RM: M 12 x 1,5	120
	PT-Cruiser (PT)	57.1	5x100	RM: M 12 x 1,5	120
	Sebring (JR)	57.1	5x100	RM: M 12 x 1,5	120
	Sebring (JS)	67.1	5x114,3	RM: M 12 x 1,5	135
	Stratus (JA,JX)	57.1	5x100	RM: M 12 x 1,5	110
	Vision (EB6F,DB6F,LH)	71.6	5x114,3	RM: M 12 x 1,5	120
	Voyager (ES,GS,RG)	71.6	5x114,3	RM: M 12 x 1,5	120
Citroen	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Berlingo (G.,M.,7.,B.)	65.1	4x108	RS: M 12 x 1,25	90
	C1 (P,PG)	54.1	4x100	RS: M 12 x 1,5	100
	C2 (J)	65.1	4x108	RS: M 12 x 1,25	90
	C3 (F,S)	65.1	4x108	RS: M 12 x 1,25	90
	C3 Aircross (2)	65.1	4x108	RS: M 12 x 1,25	90
	C3 Picasso (SH)	65.1	4x108	RS: M 12 x 1,25	90
	C3 Pluriel (H)	65.1	4x108	RS: M 12 x 1,25	90
	C4 (L,N)	65.1	4x108	RS: M 12 x 1,25	90
	C4 Picasso (U,K)	65.1	4x108	RS: M 12 x 1,25	120
	C4 Cactus (0)	65.1	4x108	RS: M 12 x 1,25	110
	C4 Aircross (B)	67.1	5x114,3	RM: M 12 x 1,5	110
	C4 Picasso Grand Picasso (3)	65.1	5x108	RM: M 12 x 1,25	100
	C5 bis Modelljahr 2007 (D,R)	65.1	4x108	RS: M 12 x 1,25	90
	C5 ab Modelljahr 2008 (R)	65.1	5x108	RS: M 12 x 1,25	90
	C6 (T)	65.1	5x108	RS: M 12 x 1,25	130
	C8 (E)	58.1	5x98	RS: M 14 x 1,5	110
	C25 (280,290)	70.1	5x118	RS: M 14 x 1,5	180
	C-Crosser (V)	67.1	5x114,3	RS: M 12 x 1,5	145

	DS3 (S)	65.1	4x108	RS: M 12 x 1,25	90
	DS4 (N)	65.1	4x108	RS: M 12 x 1,25	90
	DS5 (K)	65.1	4x108	RS: M 12 x 1,25	100
	Evasion (A,22,U)	58.1	5x98	RS: M 14 x 1,5	110
	Jumpy (B,222,U)	58.1	5x98	RS: M 14 x 1,5	110
	Jumpy (X*,X,G9)	65.1	5x108	RS: M 12 x 1,25	100
	Jumper (23,230,244,250,Y)	71.1	5x118	RS: M 14 x 1,5	180
	Jumper (230,240,250,Y)	78.1	5x130	RS: M 16 x 1,5	180
	Nemo (A,225L)	58.1	4x98	RS: M 12 x 1,25	90
	Saxo (S)	55.1	3x98	RS: M 12 x 1,25	90
	Saxo (S)	65.1	4x108	RS: M 12 x 1,25	90
	Xantia (A,X)	65.1	4x108	RS: M 12 x 1,25	90
	Xsara (N)	65.1	4x108	RS: M 12 x 1,25	90
	Xsara Picasso (C)	65.1	4x108	RS: M 12 x 1,25	90
	XM (Y)	65.1	5x108	RS: M 12 x 1,25	90
Dacia	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Dokker (SD)	60,1	4x100	RS: M 12 x 1,5	110
	Duster (SD,SR)	66.1	5x114,3	RS: M 12 x 1,5	110
	Lodgy (SD)	60.1	4x100	RS: M 12 x 1,5	110
	Logan MCV (F..U..,SD,SR)	60.1	4x100	RS: M 12 x 1,5	105
	Sandero Stepway (SD,SR)	60.1	4x100	RS: M 12 x 1,5	105
Daewoo	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Espero (KLEJ)	56.6	4x100	RS: M 12 x 1,5	110
	Evanda (KLAL)	56.6	4x114,3	RM: M 12 x 1,5	120
	Kalos (KLAS)	56.6	4x100	RM: M 12 x 1,5	120
	Korando (KJ)	110.0	6x139,7	RM: M 12 x 1,5	130
	Lacetti (KLAN)	56.6	4x114,3	RM: M 12 x 1,5	120
	Lanos (KLAT,SUPT)	56.6	4x100	RS: M 12 x 1,5	100
	Leganza (SUPV,KLAV)	56.6	5x114,3	RM: M 12 x 1,5	110
	Matiz (KLAK,KLYA,SUPA,UU..)	69.1	4x114,3	RM: M 12 x 1,25	100
	Musso (FJ,FJR)	110.0	6x139,7	RM: M 12 x 1,5	120
	Nexia (KLETN)	56.6	4x100	RS: M 12 x 1,5	110
	Nubira bis 99 (KL...,UU...,SU..)	56.6	4x100	RS: M 12 x 1,5	120
	Nubira 99-03 (KL...,UU...,SU..)	56.6	4x100	RM: M 12 x 1,5	120
	Nubira ab 03 (KLAN)	56.6	4x114,3	RM: M 12 x 1,5	120
	Rezzo (KLAU)	56.6	4x114,3	RM: M 12 x 1,5	120
	Rexton (RJ)	110.0	6x139,7	RM: M 12 x 1,5	130
Daihatsu	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Applause (A)	56.1	4x100	RM: M 12 x 1,5	110
	Charade (XP9F)	54.1	4x100	RM: M 12 x 1,5	110

	Charade (G,G2,G200)	56.1	4x100	RM: M 12 x 1,5	110
	Copen (L8)	54.1	4x100	RM: M 12 x 1,5	110
	Cuore (L,L2,L7)	54.1	4x100	RM: M 12 x 1,5	110
	Cuore (L,L201,L501,L5,L6)	66.6	4x110	RM: M 12 x 1,5	110
	Feroza (F300)	110.5	5x139,7	RM: M 12 x 1,5	110
	Grand Move (G3)	56.1	4x100	RM: M 12 x 1,5	110
	Materia (M4)	54.1	4x100	RM: M 12 x 1,5	110
	Move (L9)	54.1	4x100	RM: M 12 x 1,5	110
	Rocky (F..)	110.5	5x139,7	RM: M 12 x 1,5	110
	Sirion (M1,M3)	54.1	4x100	RM: M 12 x 1,5	110
	Terios (J2)	66.6	5x114,3	RM: M 12 x 1,5	110
	Trevis (L65)	54.1	4x100	RM: M 12 x 1,5	110
	Wildcat (F..)	110.5	5x139,7	RM: M 12 x 1,5	110
	YRV (M2)	54.1	4x100	RM: M 12 x 1,5	110
Dodge	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Avenger (JS)	67.1	5x114,3	RM: M 12 x 1,5	135
	Caliber (PK)	67.1	5x114,3	RM: M 12 x 1,5	125
	Nitro (KJ)	71.6	5x114,3	RM: 1/2 UNF	150
	Journey (JC)	71.6	5x127	RM: M 12 x 1,5	130
Ferrari	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	360 Modena (F131)	67.1	5x108	RS: M 14 x 1,5	130
	456 (F116CL)	67.1	5x108	RS: M 14 x 1,5	130
	550 Maranello (F133)	67.1	5x108	RS: M 14 x 1,5	130
	Testa Rossa (F110 AB/E)	67.1	5x108	RS: M 14 x 1,5	130
Fiat	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	124 Spider (NF)	54.1	4x100	RM: M 12 x 1,5	130
	500 (312)	58.1	4x98	RS: M 12 x 1,25	90
	500L (199)	58.1	5x98	RS: M 12 x 1,25	120
	500X (334)	65.1	5x110	RS: M 12 x 1,25	120
	Barchetta (183)	58.1	4x98	RS: M 12 x 1,25	100
	Bravo, Brava (198,182)	58.1	4x98	RS: M 12 x 1,25	90
	Chinquecento (170)	58.1	4x98	RS: M 12 x 1,25	90
	Coupe (175,FA)	58.1	4x98	RS: M 12 x 1,25	90
	Croma (154)	58.1	4x98	RS: M 12 x 1,25	90
	Croma (194)	65.1	5x110	RS: M 12 x 1,5	110
	Doblo (223,L)	58.1	4x98	RS: M 12 x 1,25	90
	Doblo (263)	58.1	5x98	RS: M 12 x 1,25	120
	Ducato Talento (280,290)	70.1	5x118	RS: M 14 x 1,5	180
	Ducato (230,250,L)	71.1	5x118	RS: M 14 x 1,5	180
	Ducato (230,250,L)	78.1	5x130	RS: M 16 x 1,5	180

	Fiorino (225,L)	58.1	4x98	RS: M 12 x 1,25	90
	Freemont (JC)	71.6	5x127	RM: M 12 x 1,5	130
	Giannini (187)	58.1	4x98	RS: M 12 x 1,25	90
	Grande Punto (199)	56.6	4x100	RS: M 12 x 1,5	110
	Idea (350)	58.1	4x98	RS: M 12 x 1,25	100
	Linea (350)	58.1	4x98	RS: M 12 x 1,25	90
	Marea (185)	58.1	4x98	RS: M 12 x 1,25	90
	Multipla (186)	58.1	4x98	RS: M 12 x 1,25	90
	Palio (178)	58.1	4x98	RS: M 12 x 1,25	90
	Panda (141,169,312)	58.1	4x98	RS: M 12 x 1,25	90
	Punto (176,188)	58.1	4x98	RS: M 12 x 1,25	110
	Regata (138R)	58.1	4x98	RS: M 12 x 1,25	90
	Ritmo (138A)	58.1	4x98	RS: M 12 x 1,25	90
	Sedici (FY)	60.1	5x114,3	RS: M 12 x 1,5	100
	Seicento (187)	58.1	4x98	RS: M 12 x 1,25	90
	Stilo (192)	58.1	4x98	RS: M 12 x 1,25	100
	Strada (178E)	58.1	4x98	RS: M 12 x 1,25	90
	Scudo (220,A)	58.1	5x98	RS: M 14 x 1,5	110
	Talento (FJF,FFL)	66.1	5x114,3	RS: M 14 x 1,5	160
	Tempra (159)	58.1	4x98	RS: M 12 x 1,25	90
	Tipo (160)	58.1	4x98	RS: M 12 x 1,25	90
	Tipo (356)	58.1	5x98	RS: M 12 x 1,25	120
	Ulysse (179)	58.1	5x98	RS: M 14 x 1,5	110
	Uno (146A)	58.1	4x98	RS: M 12 x 1,25	90
	Qubo (225,L)	58.1	4x98	RS: M 12 x 1,25	90
Ford	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	B-Max (JK8)	63.4	4x108	RM: M 12 x 1,5	135
	C-Max (DM2)	63.4	5x108	RM: M 12 x 1,5	110
	C-Max Compact (DXA)	63.4	5x108	RM: M 12 x 1,5	130
	Cougar (BCV)	63.4	4x108	RM: M 12 x 1,5	110
	EcoSport (JK8)	63.4	4x108	RM: M 12 x 1,5	135
	Edge (SBF)	63.4	5x108	RM: M 14 x 1,5	220
	Escort (A...,G..)	63.4	4x108	RM: M 12 x 1,5	110
	Escort (A...,G..)	63.4	4x108	RS: M 12 x 1,5	110
	Fiesta (F...,G...,J..)	63.4	4x108	RM: M 12 x 1,5	100
	Fiesta (F...,G...,J..)	63.4	4x108	RS: M 12 x 1,5	100
	Fiesta (JHH)	63.4	4x108	RM: M 12 x 1,5	135
	Focus (D.W,D.X)	63.4	4x108	RM: M 12 x 1,5	110
	Focus (D.3,D.B)	63.4	5x108	RM: M 12 x 1,5	110
	Fusion (JU2)	63.4	4x108	RM: M 12 x 1,5	100

	Galaxy (WGR)	57.1	5x112	RS: M 14 x 1,5	160
	Galaxy (WA6)	63.4	5x108	RM: M 14 x 1,5	160
	Galaxy (WA6 - Modelljahr 2016)	63.4	5x108	RM: M 14 x 1,5	220
	Granada (GAE,GGE)	63.4	5x112	RM: M 12 x 1,5	100
	Grand C-Max (DXA)	63.4	5x108	RM: M 12 x 1,5	130
	KA (RU8)	58.1	4x98	RS: M 12 x 1,25	90
	KA (RBT)	63.4	4x108	RM: M 12 x 1,5	100
	KA+ (KAF)	63.4	4x108	RM: M 12 x 1,5	135
	Kuga (DM2)	63.4	5x108	RM: M 12 x 1,5	135
	Maverick (1EZ.,R,1N2.,R)	67.1	5x114,3	RM: M 12 x 1,5	130
	Maverick (UDS,UNS)	100.0	6x139,7	RM: M 12 x 1,5	130
	Mondeo (BA.,BF.,BN.)	63.4	4x108	RM: M 12 x 1,5	110
	Mondeo (B.Y)	63.4	5x108	RM: M 12 x 1,5	110
	Mondeo (BA7)	63.4	5x108	RM: M 12 x 1,5	130
	Mustang GT (S197,T82,T85)	70.7	5x114,3	RM: 1/2 UNF	135
	Orion (A..G..)	63.4	4x108	RS/RM: M 12x1,5	100
	Puma (ECT)	63.4	4x108	RM: M 12 x 1,5	100
	Probe (ECP)	67.1	5x114,3	RM: M 12 x 1,5	110
	Ranger (2AW,2AB)	93.1	6x139,7	RM: M 12 x 1,5	120
	Ranger (2AW)	110.0	6x139,7	RM: M 12 x 1,5	120
	Scorpio (GAE,GGE)	63.4	5x112	RM: M 12 x 1,5	100
	Sierra (BN.,GB.)	63.4	4x108	RM: M 12 x 1,5	100
	Street-KA (RL2)	63.4	4x108	RM: M 12 x 1,5	100
	S-Max (WA6)	63.4	5x108	RM: M 14 x 1,5	160
	S-Max (WA6 - Modelljahr 2016)	63.4	5x108	RM: M 14 x 1,5	220
	Tourneo (PH2,PJ2)	63.4	5x108	RM: M 12 x 1,5	120
	Tourneo Courier (JU2)	63.4	4x108	RM: M 12 x 1,5	133
	Transit Courier (JN8,JU2)	63.4	4x108	RM: M 12 x 1,5	133
	Transit (F..6)	65.1	5x160	RM: M 14 x 2,0	200
	Windstar (A3,YDR)	63.4	5x108	RM: M 12 x 1,5	100
Honda	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Accord(AC,CA,SY)	56.1	4x100	RM: M 12 x 1,5	110
	Accord (C.-B,C,D,E,F,G,H)	64.1	4x114,3	RM: M 12 x 1,5	110
	Accord (C.-L,N,U,G,M,N,W,H)	64.1	5x114,3	RM: M 12 x 1,5	110
	Civic	56.1	4x100	RM: M 12 x 1,5	110
	Civic (MB6,MC2)	64.1	4x114,3	RM: M 12 x 1,5	110
	Civic (FB.,FC,FD.,FK.,EP.,EV.,FN)	64.1	5x114,3	RM: M 12 x 1,5	110
	Civic (FK2)	64.1	5x120	RM: M 14 x 1,5	108
	Civic Type R (FC)	64.1	5x120	RM: M 14 x 1,5	127
	Concerto (HW)	56.1	4x100	RM: M 12 x 1,5	110

	CR-V (RD.,RE.)	64.1	5x114,3	RM: M 12 x 1,5	110
	CR-Z (ZF-1)	64.1	5x114,3	RM: M 12 x 1,5	110
	FR-V (BE.)	64.1	5x114,3	RM: M 12 x 1,5	110
	HR-V (GH.,RU)	64.1	5x114,3	RM: M 12 x 1,5	110
	Insight (ZE2)	56.1	4x100	RM: M 12 x 1,5	110
	Integra (DC2)	64.1	5x114,3	RM: M 12 x 1,5	110
	Jazz (GD.,GE.,GG.,GP.,GK)	56.1	4x100	RM: M 12 x 1,5	110
	Legend (HS,KA3,KA4)	64.1	4x114,3	RM: M 12 x 1,5	110
	Legend (KA9)	64.1	5x114,3	RM: M 12 x 1,5	110
	Legend (KB1)	64.1	5x120	RM: M 14 x 1,5	127
	Logo (GA3)	56.1	4x100	RM: M 12 x 1,5	110
	NSX (NA1,NA2)	70.1	5x114,3	RM: M 12 x 1,5	110
	Prelude (BA.)	56.1	4x100	RM: M 12 x 1,5	110
	Prelude (BB9)	64.1	4x114,3	RM: M 12 x 1,5	110
	Prelude (BB6,BB8)	64.1	5x114,3	RM: M 12 x 1,5	110
	Shuttle (RA.)	64.1	5x114,3	RM: M 12 x 1,5	110
	Stream (RN.)	64.1	5x114,3	RM: M 12 x 1,5	110
	S2000 (AP1)	70.1- 64.1	5x114,3	RM: M 12 x 1,5	110
Hyundai	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Accent (LC,MC)	54.1	4x100	RM: M 12 x 1,5	110
	Accent (X-3)	67.1	4x114,3	RM: M 12 x 1,5	110
	Atos Amico (MX)	54.1	4x100	RM: M 12 x 1,5	110
	Atos (Atos)	67.1	4x114,3	RM: M 12 x 1,5	110
	Coupe (RD,J2)	67.1	4x114,3	RM: M 12 x 1,5	110
	Coupe (GK)	67.1	5x114,3	RM: M 12 x 1,5	110
	Elantra (XD)	67.1	4x114,3	RM: M 12 x 1,5	110
	Galloper (JK-TO1)	106.1	6x139,7	RM: M 12 x 1,5	120
	Genesis (BK,DH)	67.1	5x114,3	RM: M 12 x 1,5	110
	Getz (TB)	54.1	4x100	RM: M 12 x 1,5	110
	Grandeur (TG)	67.1	5x114,3	RM: M 12 x 1,5	110
	i10 (PA,IA)	54.1	4x100	RM: M 12 x 1,5	110
	i20 (PB,GB)	54.1	4x100	RM: M 12 x 1,5	110
	i30 (GDH,FD)	67.1	5x114,3	RM: M 12 x 1,5	110
	i30 (PDE)	67.1	5x114,3	RM: M 12 x 1,5	125
	i40 (VF)	67.1	5x114,3	RM: M 12 x 1,5	110
	iX20 (JC)	67.1	5x114,3	RM: M 12 x 1,5	110
	iX35 (EL,ELH,LM)	67.1	5x114,3	RM: M 12 x 1,5	110
	iX 55 (EN)	67.1	5x114,3	RM: M 12 x 1,5	110
	Ioniq (AE)	67.1	5x114,3	RM: M 12 x 1,5	125
	Joice (M300E)	67.1	4x114,3	RM: M 12 x 1,5	110

	Kona (OS)	67.1	5x114,3	RM: M 12 x 1,5	125
	Lantra (J-2,RD)	67.1	4x114,3	RM: M 12 x 1,5	110
	Matrix (FC)	67.1	4x114,3	RM: M 12 x 1,5	110
	Santa Fe (CM,DM,SM)	67.1	5x114,3	RM: M 12 x 1,5	110
	Grand Santa Fe (DM)	67.1	5x114,3	RM: M 12 x 1,5	110
	Sonata (Y-2,Y-3)	67.1	4x114,3	RM: M 12 x 1,5	110
	Sonata (NF)	67.1	5x114,3	RM: M 12 x 1,5	110
	Starex (H1)	67.1	5x114,3	RM: M 12 x 1,5	110
	Starex H1(H1)	67.1	5x120	RM: M 14 x 1,5	120
	Starex H1(TQ)	92.4	6x139,7	RM: M 12 x 1,5	120
	S-Coupe (SLC)	67.1	4x114,3	RM: M 12 x 1,5	110
	Terracan (HP)	106.1	6x139,7	RM: M 12 x 1,5	120
	Trajjet (FO)	67.1	5x114,3	RM: M 12 x 1,5	110
	Tucson (JM,TLE)	67.1	5x114,3	RM: M 12 x 1,5	110
	Veloster (FS)	67.1	5x114,3	RM: M 12 x 1,5	110
	XG (XG)	67.1	5x114,3	RM: M 12 x 1,5	110
Infinity	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	EX37 EX30d (J50)	66.1	5x114,3	RM: M 12 x 1,25	118
	FX (S51)	66.1	5x114,3	RM: M 12 x 1,25	110
	M (Y51)	66.1	5x114,3	RM: M 12 x 1,25	110
	QX30 (H15)	66.6	5x112	RS: M 14 x 1,5	130
Isuzu	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	D-Max (TF,TFS)	110.0	6x139,7	RM: M 12 x 1,5	120
	Trooper (UBS)	100.0	6x139,7	RM: M 12 x 1,5	118
Jaguar	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	F-Pace (DC)	63.4	5x108	RM: M 14 x 1,5	140
	S-Type (CCX)	63.4	5x108	RM: M 12 x 1,5	130
	X-Type (CF1)	63.4	5x108	RM: M 12 x 1,5	120
	XE (JA)	63.4	5x108	RM: M 12 x 1,5	125
	XF (CC9)	63.4	5x108	RM: M 12 x 1,5	165
	XF (JB)	63.4	5x108	RM: M 12 x 1,5	125
	XJ (N*3)	63.4	5x108	RM: M 12 x 1,5	135
	XJ8 Daimler (NAW)	73.8	5x120,65	RM: 1/2 UNF	110
	XK8 XKR (QDV,QEV)	73.8	5x120,65	RM: 1/2 UNF	110
Jeep	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Cherokee (J,XJ)	71.6	5x114,3	RM: 1/2 UNF	110
	Cherokee (KJ)	71.6	5x114,3	RM: 1/2 UNF	140
	Cherokee (KK)	71.6	5x114,3	RM: 1/2 UNF	130
	Cherokee (KL)	65.1	5x110	RS: M 12 x 1,25	135
	Commander (WH)	71.6	5x127	RM: 1/2 UNF	130

	Compass (MX)	65.1	5x110	RS: M 12 x 1,25	135
	Compass (PK)	67.1	5x114,3	RM: M 12 x 1,5	120
	Grand Cherokee (Z,ZJ)	71.6	5x114,3	RM: 1/2 UNF	110
	Grand Cherokee (WJ,WG)	71.6	5x127	RM: 1/2 UNF	110
	Grand Cherokee (WH)	71.6	5x127	RM: 1/2 UNF	130
	Grand Cherokee (WK)	71.6	5x127	RM: M 14 x 1,5	140
	Patriot (PK)	67.1	5x114,3	RM: M 12 x 1,5	120
	Renegade (BU)	65.1	5x110	RS: M 12 x 1,25	120
	Wrangler (TJ)	71.6	5x114,3	RM: 1/2 UNF	110
	Wrangler (JK)	71.6	5x127	RM: 1/2 UNF	130
Kia	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Carens (FC)	67.1	4x114,3	RM: M 12 x 1,5	110
	Carens (FG)	67.1	5x114,3	RM: M 12 x 1,5	110
	Carnival (UP)	67.1	5x114,3	RM: M 12 x 1,5	130
	Carnival (MB)	92.4	6x139,7	RM: M 12 x 1,5	130
	Cerato (FE)	67.1	4x114,3	RM: M 12 x 1,5	110
	Cee`d (ED,JD)	67.1	5x114,3	RM: M 12 x 1,5	110
	Clarus (GC)	67.1	4x114,3	RM: M 12 x 1,5	110
	Credos (GC)	67.1	4x114,3	RM: M 12 x 1,5	110
	Magentis (GD)	67.1	4x114,3	RM: M 12 x 1,5	110
	Magentis (GE)	67.1	5x114,3	RM: M 12 x 1,5	110
	Niro (DE)	67.1	5x114,3	RM: M 12 x 1,5	125
	Opirus (LD)	67.1	5x114,3	RM: M 12 x 1,5	110
	Optima (TF,JF)	67.1	5x114,3	RM: M 12 x 1,5	110
	Picanto (BA,TA) X-Line (JA)	54.1	4x100	RM: M 12 x 1,5	110
	Pride (DA)	59.6	4x114,3	RS: M 12 x 1,5	110
	Rio (DC,DE,UB)	54.1	4x100	RM: M 12 x 1,5	110
	Rio (DC,DE)	54,1	4x100	RS: M 12 x 1,5	110
	Rio (YB)	54.1	4x100	RM: M 12 x 1,5	120
	Sephia Shuma (FB)	56.1	4x100	RM: M 12 x 1,5	110
	Sorento (XM,UM)	67.1	5x114,3	RM: M 12 x 1,5	130
	Sorento (JC)	95.3	5x139,7	RM: M 12 x 1,5	120
	Soul (AM,PS)	67.1	5x114,3	RM: M 12 x 1,5	110
	Sportage (JA)	110.0	5x139,7	RM: M 12 x 1,5	110
	Sportage (JE,SL,SLS,QLE)	67.1	5x114,3	RM: M 12 x 1,5	110
	Stinger (CK)	67.1	5x114,3	RM: M 12 x 1,5	125
	Stonic (YB)	54.1	4x100	RM: M 12 x 1,5	125
	Venga (YN)	67.1	5x114,3	RM: M 12 x 1,5	110
Lada	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Vesta (GF)	60.1	4x100	RS: M 12 x 1,5	110

	Niva Taiga (VAZ2121)	110.0	5x139,7	RM: M 12 x 1,25	100
	Samara (2108,VAZ...,2109)	58.6	4x98	RS: M 12 x 1,25	100
	110 111 112 (21..)	58.6	4x98	RS: M 12 x 1,25	110
Lancia	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Dedra (835)	58.1	4x98	RS: M 12 x 1,25	90
	Delta (831...,836,844)	58.1	4x98	RS: M 12 x 1,25	90
	Flavia (JS)	67.1	5x114.3	RM: M 12 x 1,5	135
	Kappa (838)	58.1	5x108	RS: M 12 x 1,25	110
	Lybra (938)	58.1	4x98	RS: M 12 x 1,25	90
	Musa (350)	58.1	4x98	RS: M 12 x 1,25	100
	Phedra (179)	58.1	5x98	RS: M 14 x 1,5	110
	Prisma (813..)	58.1	4x98	RS: M 12 x 1,25	90
	Thema (834)	58.1	4x98	RS: M 12 x 1,25	90
	Thema (LX)	71.6	5x115	RM: M 14 x 1,5	135
	Thesis (841)	58.1	5x108	RS: M 12 x 1,25	100
	Voyager (RT)	71.6	5x127	RM: M 12 x 1,5	130
	Y (840)	58.1	4x98	RS: M 12 x 1,25	90
	Ypsilon (312,843)	58.1	4x98	RS: M 12 x 1,25	90
	Zeta (22.)	58.1	5x98	RS: M 14 x 1,5	110
Land Rover	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Discovery (SALLJG,LJ)	113.0	5x165,1	RM: Flachbund	160
	Discovery 2 (LT,LTD)	70.1	5x120	RM: M 14 x 1,5	140
	Discovery 3 + 4 (LA)	72.6	5x120	RM: M 14 x 1,5	140
	Discovery Sport (LC)	63.4	5x108	RM: M 14 x 1,5	135
	Freelander (LF)	63.4	5x108	RM: M 14 x 1,5	150
	Freelander II (LN,LND)	64.1	5x114,3	RM: M 14 x 1,5	110
	Range Rover Evoque (LV)	63.4	5x108	RM: M 14 x 1,5	135
	Range Rover (LP)	70.1	5x120	RM: M 14 x 1,5	140
	Range Rover (LM,LP)	72.6	5x120	RM: M 14 x 1,5	140
	Range Rover Sport (LS)	72.6	5x120	RM: M 14 x 1,5	140
	Range Rover Velar (LY)	63,4	5x108	RM: M 14 x 1,5	140
Lexus	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	CT200h (A10a)	54.1	5x100	RM: M 12 x 1,5	110
	GS250 GS200t GS300	60.1	5x114,3	RM: M 12 x 1,5	110
	GS,300,430,450h (S...,HS..)	60.1	5x114,3	RM: M 12 x 1,5	135
	GS300H 450H -Hybrid (HS..)	60.1	5x114,3	RM: M 12 x 1,5	110
	GS F (UL10-EU,M)	60.1	5x114,3	RN: M 12 x 1,5	110
	IS,F,200,250,300 (XE..)	60.1	5x114,3	RM: M 12 x 1,5	135
	IS300h IS200t 300 (XE2a)	60.1	5x114,3	RM: M 12 x 1,5	105
	LS400,430 (F..)	60.1	5x114,3	RM: M 12 x 1,5	110

	RC200t 300H (XC1-EU,M)	60.1	5x114,3	RM: M 12 x 1,5	110
	RC F (UXC1-EU,M)	60.1	5x114,3	RM: M 12 x 1,5	110
	RX,300,350,450h (X,AL,AL2,HAL)	60.1	5x114,3	RM: M 12 x 1,5	110
	SC430 (Z..)	60.1	5x114,3	RM: M 12 x 1,5	110
	LS500 500H	60.1	5x114,3	RM: M 14 x 1,5	140
	LS460,600 (F.,HF.)	60.1	5x120	RM: M 14 x 1,5	135
Maserati	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Gran Turismo	67.1	5x114,3	RM: M 14 x 1,5	110
	Quattroporte (337..)	58.1	5x108	RS: M 12 x 1,5	110
	Quattroporte (M139)	67.1	5x114,3	RS: M 14 x 1,5	110
	Spyder Coupe	67.1	5x108	RS: M 14 x 1,5	110
	3200 GT (338B..)	67.1	5x108	RS: M 14 x 1,5	110
Mazda	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	121 (DB)	54.1	4x100	RM: M 12 x 1,5	110
	121 (J.SM)	63.4	4x108	RM: M 12 x 1,5	110
	2 (DE)	54.1	4x100	RM: M 12 x 1,5	110
	2 (DY)	63.4	4x108	RM: M 12 x 1,5	110
	3 (BK,BL)	67.1	5x114,3	RM: M 12 x 1,5	110
	3 (BL ab MJ 2013,BN)	67.1	5x114,3	RM: M 12 x 1,5	130
	323 (BA.,BG.,BJ.)	54.1	4x100	RM: M 12 x 1,5	110
	323 (BA,BJ)	67.1	5x114,3	RM: M 12 x 1,5	110
	323 (BF,BW)	59.6	4x114,3	RM: M 12 x 1,5	110
	5 (CR1,CW)	67.1	5x114,3	RM: M 12 x 1,5	120
	6 (GG,GY,GH)	67.1	5x114,3	RM: M 12 x 1,5	110
	6 (GJ)	67.1	5x114,3	RM: M 12 x 1,5	130
	626 (GC,GD)	59.6	4x114,3	RM: M 12 x 1,5	110
	626 (GD,GV)	59.6	5x114,3	RM: M 12 x 1,5	110
	626 (GE,GF,GW)	67.1	5x114,3	RM: M 12 x 1,5	110
	929 (HB)	59.6	4x114,3	RM: M 12 x 1,5	110
	929 (HC)	67.1	5x114,3	RM: M 12 x 1,5	110
	B2500 BT50 (UN)	93.1	6x139,7	RM: M 12 x 1,5	120
	B2500 BT50 (UN)	110.0	6x139,7	RM: M 12 x 1,5	120
	CX-3 (DJ1)	67.1	5x114,3	RM: M 12 x 1,5	130
	CX-5 (KE)	67.1	5x114,3	RM: M 12 x 1,5	130
	CX-5 (KF)	67.1	5x114,3	RM: M 12 x 1,5	140
	CX-7 (ER.)	67.1	5x114,3	RM: M 12 x 1,5	110
	Demio (DW)	54.1	4x100	RM: M 12 x 1,5	110
	MPV (LW)	67.1	5x114,3	RM: M 12 x 1,5	130
	MX-3 (EC)	54.1	4x100	RM: M 12 x 1,5	110
	MX-5 (NA,NB)	54.1	4x100	RM: M 12 x 1,5	110

	MX-5 (ND)	54.1	4x100	RM: M 12 x 1,5	130
	MX-5 (NC)	67.1	5x114,3	RM: M 12 x 1,5	110
	MX-6 (GE6)	67.1	5x114,3	RM: M 12 x 1,5	110
	Premacy (CP.)	67.1	5x114,3	RM: M 12 x 1,5	110
	RX-8 (SE)	67.1	5x114,3	RM: M 12 x 1,5	110
	Tribute (EP.,R.)	67.1	5x114,3	RM: M 12 x 1,5	120
	Xedos 6 (CA)	67.1	5x114,3	RM: M 12 x 1,5	110
	Xedos 9 (TA)	67.1	5x114,3	RM: M 12 x 1,5	110
Mercedes Benz	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	A-Klasse (168)	66.6	5x112	RS: M 12 x 1,5	110
	A-Klasse (169,176)	66.6	5x112	RS: M 14 x 1,5	130
	B-Klasse (245,246)	66.6	5x112	RS: M 14 x 1,5	130
	C-Klasse (H0,202,203)	66.6	5x112	RS: M 12 x 1,5	110
	C-Klasse (204)	66.6	5x112	RS: M 14 x 1,5	130
	C-Klasse (205)	66.6	5x112	RS: M 14 x 1,5	130
	Citan (X)	66.6	5x108	RS: M 12 x 1,5	110
	CL-Klasse (215,216)	66.6	5x112	RS: M 14 x 1,5	150
	CLA (117,245G)	66.6	5x112	RS: M 14 x 1,5	130
	CLK (208,209)	66.6	5x112	RS: M 12 x 1,5	110
	CLS (218,219)	66.6	5x112	RS: M 14 x 1,5	130
	E-Klasse (124,210)	66.6	5x112	RS: M 12 x 1,5	110
	E-Klasse (207,211,212)	66.6	5x112	RS: M 14 x 1,5	130
	E-Klasse (212 FIN:WDD213)	66.6	5x112	RS: M 14 x 1,5	150
	G-Klasse (461,463)	84.1	5x130	RS: M 14 x 1,5	140
	GL-Klasse (164G)	66.6	5x112	RS: M 14 x 1,5	150
	GLA-Klasse (245G)	66.6	5x112	RS: M 14 x 1,5	130
	GLC-Klasse (204X-X253)	66.6	5x112	RS: M 14 x 1,5	130
	GLE-Klasse (166)	66.6	5x112	RS: M 14 x 1,5	150
	GLK (204X)	66.6	5x112	RS: M 14 x 1,5	150
	GLS (166)	66.6	5x112	RS: M 14 x 1,5	150
	ML-Klasse (163,164,166)	66.6	5x112	RS: M 14 x 1,5	150
	R-Klasse (251)	66.6	5x112	RS: M 14 x 1,5	150
	S-Klasse (116,126)	66.6	5x112	RS: M 12 x 1,5	110
	S-Klasse (140,220,222)	66.6	5x112	RS: M 14 x 1,5	150
	S-Klasse (221)	66.6	5x112	RS: M 14 x 1,5	150
	SL (107,129)	66.6	5x112	RS: M 12 x 1,5	110
	SL (230,231)	66.6	5x112	RS: M 14 x 1,5	130
	SLC (172)	66.6	5x112	RS: M 14 x 1,5	130
	SLK (170,171)	66.6	5x112	RS: M 12 x 1,5	110
	SLK (172)	66.6	5x112	RS: M 14 x 1,5	130

	Sprinter (A.,C.,D.,90..)	84.1	5x130	RS: M 14 x 1,5	180
	Sprinter (906..)	84.1	6x130	RS: M 14 x 1,5	180
	Vaneo (414)	66.6	5x112	RS: M 12 x 1,5	130
	V-Klasse Vito Viano (63..)	66.6	5x112	RS: M 14 x 1,5	160
	X-Klasse Pick Up (4701)	66.1	6x114,3	RM: M 12 x 1,25	135
	190er (201)	66.6	5x112	RS: M 12 x 1,5	110
Mitsubishi	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	ASX (GA0)	67.1	5x114,3	RM: M 12 x 1,5	110
	Carisma (DAO)	56.1	4x100	RM: M 12 x 1,5	110
	Carisma (DAO)	67.1	4x114,3	RM: M 12 x 1,5	110
	Colt (CJO,CAO)	56.1	4x100	RM: M 12 x 1,5	110
	Colt (Z3.)	67.1	4x114,3	RM: M 12 x 1,5	110
	Eclipse, -Cross (D20,D30,GK0)	67.1	5x114,3	RM: M 12 x 1,5	110
	Galant (E30,E50,EAO)	67.1	4x114,3	RM: M 12 x 1,5	110
	Grandis (NAOW)	67.1	5x114,3	RM: M 12 x 1,5	110
	Lancer (CAOW)	56.1	4x100	RM: M 12 x 1,5	110
	Lancer (CSO)	67.1	4x114,3	RM: M 12 x 1,5	110
	Lancer (C.O)	67.1	5x114,3	RM: M 12 x 1,5	110
	Outlander (CUOW,CW.)	67.1	5x114,3	RM: M 12 x 1,5	110
	Pajero (V60,V80)	67.1	6x139,7	RM: M 12 x 1,5	120
	Pajero (V20,L040)	108.1	6x139,7	RM: M 12 x 1,5	120
	Pajero Pinin (H60W)	67.1	5x114,3	RM: M 12 x 1,5	110
	Pajero Sport (K90)	108.1	6x139,7	RM: M 12 x 1,5	120
	Sigma (F07W,F10)	67.1	5x114,3	RM: M 12 x 1,5	110
	Space Runner (N10)	67.1	4x114,3	RM: M 12 x 1,5	110
	Space Runner (N50)	67.1	5x114,3	RM: M 12 x 1,5	110
	Space Star (DGO)	67.1	4x114,3	RM: M 12 x 1,5	110
	Space Star, -Cross (A00)	56,1	4/100	RM: M 12 x 1,5	110
	Space Wagon (N10,N30)	67.1	4x114,3	RM: M 12 x 1,5	110
	Space Wagon (N50)	67.1	5x114,3	RM: M 12 x 1,5	110
	L 200 (K60T,L200)	108.1	6x139,7	RM: M 12 x 1,5	120
	L 200 (KAOT)	67.1	6x139,7	RM: M 12 x 1,5	135
	L 300 (POOW)	67.1	5x114,3	RM: M 12 x 1,5	110
Nissan	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	100 NX (B13)	59.1	4x100	RM: M 12 x 1,25	100
	200 SX (S13)	66.1	4x114,3	RM: M 12 x 1,25	100
	200 SX (S14)	66.1	5x114,3	RM: M 12 x 1,25	100
	300 ZX (Z32)	66.1	5x114,3	RM: M 12 x 1,25	100
	350 Z (Z33)	66.1	5x114,3	RM: M 12 x 1,25	100
	370 Z (Z34)	66.1	5x114,3	RM: M 12 x 1,25	110

	Almera (N15)	59.1	4x100	RM: M 12 x 1,25	100
	Almera (N16)	66.1	4x114,3	RM: M 12 x 1,25	100
	Almera Tino (V10)	66.1	5x114,3	RM: M 12 x 1,25	100
	Bluebird (T12,T72,U11,WU11)	66.1	4x114,3	RM: M 12 x 1,25	90
	Cherry (N12)	66.1	4x114,3	RM: M 12 x 1,25	90
	Cube (Z12)	66.1	4x114,3	RM: M 12 x 1,25	90
	Interstar (FDN,J3)	89.1	5x130	RS: M 14 x 1,5	175
	Juke (F15)	66.1	5x114,3	RM: M 12 x 1,25	110
	King Cab (Y720)	100.0	6x139,7	RM: M 12 x 1,25	130
	Maxima (A32,A33)	66.1	5x114,3	RM: M 12 x 1,25	110
	Micra (K10,K11)	59.1	4x100	RM: M 12 x 1,25	100
	Micra (K12)	60.1	4x100	RS: M 12 x 1,5	100
	Micra (K13)	60.1	4x100	RM: M 12 x 1,25	110
	Micra (K14)	60.1	4x100	RS: M 12 x 1,5	105
	Murano (Z50,Z51)	66.1	5x114,3	RM: M 12 x 1,25	110
	Navara (D40)	66.1	6x114,3	RM: M 12 x 1,25	110
	NP300 Navara (D231)	66.1	6x114,3	RM: M 12 x 1,25	133
	Note (E11)	60.1	4x100	RS: M 12 x 1,5	100
	Note (E12)	60.1	4x100	RM: M 12 x 1,25	110
	NV 200 (M20N,M20M)	66.1	4x114,3	RM: M 12 x 1,25	110
	NV 300 (4,JE)	66.1	5x114,3	RS: M 14 x 1,5	160
	Pathfinder (R51)	66.1	6x114,3	RM: M 12 x 1,25	110
	Patrol (..160,260,Y..)	100.0	6x139,7	RM: M 12 x 1,25	130
	Pickup (D22)	100.0	6x139,7	RM: M 12 x 1,25	130
	Pixo (HF)	54.1	4x100	RM: M 12 x 1,25	90
	Praire (M11)	66.1	4x114,3	RM: M 12 x 1,25	90
	Primastar (4,J4,F4)	71.1	5x118	RS: M 14 x 1,5	160
	Primera (P10,P11,W10)	66.1	4x114,3	RM: M 12 x 1,25	100
	Primera (P12)	66.1	5x114,3	RM: M 12 x 1,25	100
	Pulsar (C13)	66.1	5x114,3	RM: M 12 x 1,25	115
	Qashqai,+2 (J10)	66.1	5x114,3	RM: M 12 x 1,25	110
	Qashqai (J11)	66.1	5x114,3	RS: M 12 x 1,5	115
	Serena (C23,C23W)	66.1	5x114,3	RM: M 12 x 1,25	100
	Stanza (T11)	66.1	4x114,3	RM: M 12 x 1,25	90
	Sunny (B11)	66.1	4x114,3	RM: M 12 x 1,25	90
	Sunny (B12,13,N13,14,Y10)	59.1	4x100	RM: M 12 x 1,25	100
	Terrano II (R20)	100.0	6x139,7	RM: M 12 x 1,25	130
	Tiida (C11)	66.1	4x114,3	RM: M 12 x 1,25	110
	X-Trail (T30,T31,T32)	66.1	5x114,3	RM: M 12 x 1,25	110
Opel	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm

	Adam (S-D)	56.6	4x100	RS: M 12 x 1,5	110
	Adam-S (S-D)	65.1	5x110	RS: M 12 x 1,5	110
	Agila bis 2003 (H00)	54.1	4x100	RM: M 12 x 1,25	90
	Agila ab 2004 (H00,H-B)	54.1	4x100	RS: M 12 x 1,5	100
	Ampera (D1JOI)	70.2	5x115	RM: M 12 x 1,5	140
	Antara (L-A)	70.2	5x115	RM: M 12 x 1,5	140
	Ascona-B	57.1	4x100	RM: M 12 x 1,5	100
	Ascona-C	56.6	4x100	RM: M 12 x 1,5	110
	Astra-F Astra-G Astra-H	56.6	4x100	RS: M 12 x 1,5	110
	Astra-G Astra-H	65.1	5x110	RS: M 12 x 1,5	110
	Astra-J (P-J)	56.6	5x105	RM: M 12 x 1,5	140
	Astra-J (P-J)	70.2	5x115	RM: M 12 x 1,5	140
	Astra-K (B-K)	56.6	5x105	RM: M 12 x 1,5	140
	Calibra-A	56.6	4x100	RS: M 12 x 1,5	110
	Calibra-A	65.1	5x110	RS: M 12 x 1,5	110
	Campo (Campo-R,-S)	100.0	6x139,7	RM: M 12 x 1,5	120
	Cascada (P-J/SW)	70.2	5x115	RM: M 12 x 1,5	140
	Combo-B Combo-C	56.6	4x100	RS: M 12 x 1,5	110
	Combo-D	58.1	5x98	RS: M 12 x 1,25	120
	Corsa-A, -B, -C, -D, -E	56.6	4x100	RS: M 12 x 1,5	110
	Corsa-C Corsa-D Corsa-E	65.1	5x110	RS: M 12 x 1,5	110
	Crossland X (P7-Monocab-C)	65.1	4x108	RS: M 12 x1,25	110
	Frontera B, UT2/4 Series	100.0	6x139,7	RM: M 12 x 1,5	120
	Grandland X (Z)	65.1	5x108	RS: M 12 x 1,25	115
	GT (K/R)	65.1	5x110	RM: M 12 x 1,5	140
	Insignia (0G-A)	67.1	5x120	RM: M 14 x 1,5	150
	Insignia (Z-B)	70.2	5x115	RM: M 12 x 1,5	125
	Kadett-C	57.1	4x100	RM: M 12 x 1,5	100
	Kadett-D Kadett-E	56.6	4x100	RS: M 12 x 1,5	110
	Karl (D-A)	56.6	4x100	RM: M 12 x 1,5	140
	Manta-A Manta-B	57.1	4x100	RM: M 12 x 1,5	100
	Meriva-A	56.6	4x100	RS: M 12 x 1,5	110
	Meriva-A Meriva-B	65.1	5x110	RS: M 12 x 1,5	110
	Mokka (J-A)	56.6	5x105	RM: M 12 x 1,5	125
	Mokka X (J-A)	56.6	5x105	RM: M 12 x 1,5	140
	Monterey	100.0	6x139,7	RM: M 12 x 1,5	118
	Movano-A Movano-B	89.1	5x130	RS: M 14 x 1,5	175
	Omega-B	65.1	5x110	RS: M 12 x 1,5	110
	Rekord-E	57.1	4x100	RM: M 12 x 1,5	100
	Signum	65.1	5x110	RS: M 12 x 1,5	110

	Sintra (GM200-GME)	70.2	5x115	RM: M 12 x 1,5	140
	Speedster (E00TARGA)	65.1	5x110	RS: M 12 x 1,5	90
	Tigra-A Tigra-B	56.6	4x100	RS: M 12 x 1,5	110
	Vectra-A Vectra-B	56.6	4x100	RS: M 12 x 1,5	110
	Vectra-B Vectra-C	65.1	5x110	RS: M 12 x 1,5	110
	Vivaro-A (X83,F7)	71.1	5x118	RS: M 14 x 1,5	160
	Vivaro-B (X83,F7)	66.1	5x114,3	RS: M 14 x 1,5	160
	Zafira-A Zafira-B	65.1	5x110	RS: M 12 x 1,5	110
	Zafira Tourer (P-J/SW)	70.2	5x115	RM: M 12 x 1,5	140
Peugeot	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	106 (1*)	55.1	3x98	RS: M 12 x 1,25	90
	106 (1*)	65.1	4x108	RS: M 12 x 1,25	90
	107 (P)	54.1	4x100	RS: M 12 x 1,5	100
	108 (P)	54.1	4x100	RS: M 12 x 1,5	105
	1007 (K)	65.1	4x108	RS: M 12 x 1,25	90
	205 (20*,741)	65.1	4x108	RS: M 12 x 1,25	90
	206 (2*)	65.1	4x108	RS: M 12 x 1,25	90
	207 (W*)	65.1	4x108	RS: M 12 x 1,25	100
	208 (C)	65.1	4x108	RS: M 12 x 1,25	90
	2008 (C)	65.1	4x108	RS: M 12 x 1,25	110
	306 (7*)	65.1	4x108	RS: M 12 x 1,25	90
	307 (3*)	65.1	4x108	RS: M 12 x 1,25	90
	308 (4*)	65.1	4x108	RS: M 12 x 1,25	100
	308 (L)	65.1	5x108	RS: M 12 x 1,25	100
	3008 (0U*)	65.1	4x108	RS: M 12 x 1,25	100
	3008 (M)	65.1	5x108	RS: M 12 x 1,25	115
	309 (10.,3..)	65.1	4x108	RS: M 12 x 1,25	90
	405 (15.,4..)	65.1	4x108	RS: M 12 x 1,25	90
	406 (8*)	65.1	4x108	RS: M 12 x 1,25	90
	407 (6*)	65.1	5x108	RS: M 12 x 1,25	90
	4007 (V*)	67.1	5x114,3	RM: M 12 x 1,5	120
	4008 (B)	67.1	5x114,3	RM: M 12 x 1,5	110
	508 508RXH (8)	65.1	5x108	RS: M 12 x 1,25	120
	5008 (0*)	65.1	4x108	RS: M 12 x 1,25	100
	5008 (M)	65.1	5x108	RS: M 12 x 1,25	115
	605 (6B)	65.1	5x108	RS: M 12 x 1,25	90
	607 (9*)	65.1	5x108	RS: M 12 x 1,25	90
	806 (A*,221)	58.1	5x98	RS: M 14 x 1,5	110
	807 (E*)	58.1	5x98	RS: M 14 x 1,5	110
	Bipper (A,225L)	58.1	4x98	RS: M 12 x 1,25	90

	Boxer (23.,230.,244.,Y.,250.)	71.1	5x118	RS: M 14 x 1,5	180
	Boxer (23.,230.,244.,250.)	78.1	5x130	RS: M 16 x 1,5	180
	Expert (B*,224,U.)	58.1	5x98	RS: M 14 x 1,5	110
	J5 (280,290)	70.1	5x118	RS: M 14 x 1,5	180
	Partner (G.,M.,7.,B.)	65.1	4x108	RS: M 12 x 1,25	90
	RCZ (4J)	65.1	5x108	RS: M 12 x 1,25	90
Pontiac (GM)	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Trans Sport (U-Van)	70.2	5x115	RM: M 12 x 1,5	140
Porsche	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	911 944 968 993 997	71.6	5x130	RS: M 14 x 1,5	130
	Boxster Cayman (986,987)	71.6	5x130	RS: M 14 x 1,5	130
	Cayenne (9P.,92..)	71.6	5x130	RS: M 14 x 1,5	160
	Macan (95B,95BN)	66.6	5x112	RS: M 14 x 1,5	160
	Panamera (970,970N)	71.6	5x130	RS: M 14 x 1,5	160
Proton	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Persona (C9)	56.1	4x100	RM: M 12 x 1,5	100
Renault	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Alaskan (D231C)	66.1	6x114,3	RM: M 12 x 1,25	133
	Avantime (DE)	60.1	5x108	RS: M 14 x 1,5	110
	Captur (R)	60.1	4x100	RS: M 12 x 1,5	105
	Clio (57,B,R)	60.1	4x100	RS: M 12 x 1,5	110
	Clio IV (R)	60.1	4x100	RS: M 12 x 1,5	105
	Clio Sport (R)	60.1	5x108	RS: M 12 x 1,5	140
	Clio R.S. (R)	66.1	5x114,3	RS: M 12 x 1,5	105
	Espace (J11,J13,J63)	60.1	4x100	RS: M 12 x 1,5	110
	Espace (J63,JE,K)	60.1	5x108	RS: M 14 x 1,5	110
	Espace (RFC)	66.1	5x108	RS: M 14 x 1,5	130
	Fluence (Z)	66.1	5x114,3	RS: M 12 x 1,5	130
	Grand Scenic (JZ)	66.1	5x114,3	RS: M 12 x 1,5	130
	Kadjar (RFE)	66.1	5x114,3	RS: M 12 x 1,5	110
	Kangoo (FC.,KC.)	60.1	4x100	RS: M 12 x 1,5	110
	Kangoo BeBop (W,FW)	60.1	5x108	RS: M 12 x 1,5	110
	Koleos (Y,RZG)	66.1	5x114,3	RM: M 12 x 1,25	110
	Laguna (B56,K56)	60.1	4x100	RS: M 12 x 1,5	110
	Laguna (B56,K56)	60.1	5x108	RS: M 14 x 1,5	110
	Laguna (G)	60.1	5x108	RS: M 12 x 1,5	110
	Laguna (T)	66.1	5x114,3	RS: M 14 x 1,5	155 - 170
	Latitude (T)	66.1	5x114,3	RS: M 14 x 1,5	155 - 170
	Master (JD,FD)	89.1	5x130	RS: M 14 x 1,5	175
	Megane (BA,DA,EA,KA,LA,M)	60.1	4x100	RS: M 12 x 1,5	110

	Megane (M)	60.1	5x108	RS: M 12 x 1,5	110
	Megane (Z,RFB)	66.1	5x114,3	RS: M 12 x 1,5	110
	Modus (P)	60.1	4x100	RS: M 12 x 1,5	110
	R5 (B/C40)	60.1	4x100	RS: M 12 x 1,5	90
	R9 (Renault 9)	60.1	4x100	RS: M 12 x 1,5	90
	R11 (B/C37)	60.1	4x100	RS: M 12 x 1,5	90
	R19 (B/C53,L53,D53,X53)	60.1	4x100	RS: M 12 x 1,5	90
	R21 (L48)	60.1	4x100	RS: M 12 x 1,5	100
	Safrane (B54)	60.1	4x100	RS: M 12 x 1,5	110
	Safrane (B54)	60.1	5x108	RS: M 14 x 1,5	110
	Scenic (JA,JM)	60.1	4x100	RS: M 12 x 1,5	120
	Scenic (RFA)	66.1	5x114,3	RS: M 12 x 1,5	110
	Talisman (RFD)	66.1	5x114,3	RS: M 12 x 1,5	110
	Traffic (JL,FL,J)	71.1	5x118	RS: M 14 x 1,5	160
	Traffic 2 (JL,L)	66.1	5x114,3	RS: M 14 x 1,5	160
	Twingo (C06,N)	60.1	4x100	RS: M 12 x 1,5	100
	Twingo (AH)	60.1	4x100	RS: M 12 x 1,5	105
	Vel Satis bis 2003 (J)	60.1	5x108	RS: M 12 x 1,5	110
	Vel Satis ab 2003 (J)	60.1	5x108	RS: M 14 x 1,5	110
	Wind (N)	60.1	4x100	RS: M 12 x 1,5	110
	Zoe (AG)	60.1	4x100	RS: M 12 x 1,5	110
Rover MG	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	MGF (Roadster)	56.6	4x95,25	RM: M 12 x 1,5	100
	2 25 MG-ZR (RF,F)	56.1	4x100	RM: M 12 x 1,5	110
	4 45 MG-ZS (RT,T)	56.1	4x100	RM: M 12 x 1,5	110
	75 MG-ZT (RJ,J,RX,X)	56.1	5x100	RS: M 14 x 1,5	110
	600 (RH)	64.1	4x114,3	RM: M 12 x 1,5	110
	800 (XS)	64.1	4x114,3	RM: M 12 x 1,5	110
Saab	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	900 (YS3D)	65.1	5x110	RS: M 12 x 1,5	110
	9-3 (YS3D)	65.1	5x110	RS: M 12 x 1,5	120
	9-5 (YS3E)	65.1	5x110	RS: M 12 x 1,5	120
	9-5 (YS3G)	67.1	5x120	RM: M 14 x 1,5	150
Seat	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Alhambra (7MS)	57.1	5x112	RS: M 14 x 1,5	170
	Alhambra (7N)	57.1	5x112	RS: M 14 x 1,5	140
	Altea (5P)	57.1	5x112	RS: M 14 x 1,5	120
	Arona (KJ)	57.1	5x100	RS: M 14 x 1,5	120
	Arosa (6H.)	57.1	4x100	RS: M 12 x 1,5	110
	Ateca (5FP)	57.1	5x112	RS: M 14 x 1,5	140

	Cordoba (6K,6KC)	57.1	4x100	RS: M 12 x 1,5	110
	Cordoba (6L)	57.1	5x100	RS: M 14 x 1,5	120
	Exeo (3R)	57.1	5x112	RS: M 14 x 1,5	120
	Ibiza (021A)	58.1	4x98	RS: M 12 x 1,25	90
	Ibiza (6K,6KC)	57.1	4x100	RS: M 12 x 1,5	110
	Ibiza (6J,6JN,KJ)	57.1	5x100	RS: M 14 x 1,5	120
	Inca (9KS)	57.1	4x100	RS: M 12 x 1,5	110
	Leon (1M)	57.1	5x100	RS: M 14 x 1,5	120
	Leon (1P,5F)	57.1	5x112	RS: M 14 x 1,5	120
	Malaga (023A)	58.1	4x98	RS: M 12 x 1,25	90
	Mii (AA.)	57.1	4x100	RS: M 12 x 1,5	110
	Ronda (022)	58.1	4x98	RS: M 12 x 1,25	90
	Toledo (1L)	57.1	4x100	RS: M 12 x 1,5	110
	Toledo (1M,NH)	57.1	5x100	RS: M 14 x 1,5	120
	Toledo (5P)	57.1	5x112	RS: M 14 x 1,5	120
Skoda	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Citigo (AA.)	57.1	4x100	RS: M 12 x 1,5	110
	Fabia (5J,6Y)	57.1	5x100	RS: M 14 x 1,5	120
	Felicia Fun (791,795,797)	57.1	4x100	RS: M 12 x 1,5	110
	Forman Plus (785 Plus)	57.1	4x100	RS: M 12 x 1,5	110
	Karoq (NU)	57.1	5x112	RS: M 14 x 1,5	140
	Kodiaq (NS)	57.1	5x112	RS: M 14 x 1,5	140
	Octavia (1U)	57.1	5x100	RS: M 14 x 1,5	120
	Octavia (1Z,5E)	57.1	5x112	RS: M 14 x 1,5	120
	Pick Up (797)	57.1	4x100	RS: M 12 x 1,5	110
	Praktik (5J)	57.1	5x100	RS: M 14 x 1,5	120
	Rapid Rapid Spaceback(NH)	57.1	5x100	RS: M 14 x 1,5	120
	Roomster (5J)	57.1	5x100	RS: M 14 x 1,5	120
	Superb (1T,3U)	57.1	5x112	RS: M 14 x 1,5	120
	Superb (3T)	57.1	5x112	RS: M 14 x 1,5	140
	Yeti (5L)	57.1	5x112	RS: M 14 x 1,5	120
Smart	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	ForTwo (MC01,451)	57.1	3x112	RS: M 12 x 1,5	110
	ForTwo (451/453)	60.1	4x100	RS: M 12 x 1,5	105
	Roadster (452)	57.1	3x112	RS: M 12 x 1,5	110
	ForFour (454)	67.1	4x114,3	RM: M 12 x 1,5	110
	ForFour (451/453)	60.1	4x100	RS: M 12 x 1,5	105
Ssangyong	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Korando (CK)	66.6	5x112	RS: M 12 x 1,5	120
	Korando (KJ)	110.0	6x139,7	RM: M 12 x 1,5	130

	Kyron (DJ)	84.1	5x130	RM: M14 x 1,5	140
	Musso (FJ,FJR)	110.0	6x139,7	RM: M 12 x 1,5	130
	Rexton (RJ)	110.0	6x139,7	RM: M 12 x 1,5	110
	Rodius Stavic(AJ)	84.1	5x130	RS: M 14 x 1,5	140
	Tivoli (XK)	66.6	5x112	RS: M 12 x 1,5	130
Subaru	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	B9 Tribeca (WX.)	56.1	5x114,3	RM: M 12 x 1,25	120
	BRZ (ZC)	56.1	5x100	RM: M 12 x 1,25	120
	Forester (SF.,SG.,SH.)	56.1	5x100	RM: M 12 x 1,25	100
	Impreza XV (G3,G.)	56.1	5x100	RM: M 12 x 1,25	100
	Impreza WRX STi (G.)	56.1	5x114,3	RM: M 12 x 1,25	120
	Justy G3X (NH)	54.1	4x100	RS: M 12 x 1,5	100
	Justy (M3)	54.1	4x100	RM: M 12 x 1,5	100
	Justy (KAD)	59.1	4x100	RM: M 12 x 1,25	100
	Justy (JMA,MS)	60.1	4x114,3	RM: M 12 x 1,25	100
	Legacy (B.)	56.1	5x100	RM: M 12 x 1,25	100
	Levorg (V1)	56.1	5x114,3	RM: M 12 x 1,25	120
	Outback (BM,BR)	56.1	5x100	RM: M 12 x 1,25	100
	Trezia (D1a)	54.1	5x100	RM: M 12 x 1,5	110
	WRX STi (V1)	56.1	5x114,3	RM: M 12 x 1,25	120
	XV (G5)	56.1	5x100	RM: M 12 x 1,25	120
Suzuki	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Alto (FF,GF)	54.1	4x100	RM: M 12 x 1,25	90
	Baleno (EG)	54.1	4x100	RM: M 12 x 1,25	90
	Baleno (EW)	54.1	4x100	RM: M 12 x 1,25	100
	Carry (FD)	54.1	4x100	RM: M 12 x 1,25	90
	Celerio (LF)	54.1	4x100	RM: M 12 x 1,25	90
	Grand Vitara (JT)	60.1	5x114,3	RM: M 12 x 1,25	110
	Grand Vitara (FT,GT)	110.5	5x139,7	RM: M 12 x 1,25	110
	Ignis (FH)	54.1	4x100	RM: M 12 x 1,25	100
	Ignis (MF)	54.1	4x100	RM: M 12 x 1,25	90
	Ignis (MH)	54.1	4x100	RS: M 12 x 1,5	100
	Jimny (FJ)	110.5	5x139,7	RM: M 12 x 1,25	110
	Kizashi (FR)	60.1	5x114,3	RM: M 12 x 1,25	140
	Liana (ER)	54.1	4x100	RM: M 12 x 1,25	90
	Samurai (S,SJ)	110.5	5x139,7	RM: M 12 x 1,25	110
	Splash (EX)	54.1	4x100	RS: M 12 x 1,5	90
	Swift (AZ,EZ,FZ)	54.1	4x100	RM: M 12 x 1,25	100
	Swift (NZ,MZ)	54.1	4x100	RM: M 12 x 1,5	100
	Swift (NZ,MZ)	54,1	4x100	RS: M 12 x 1,5	100

	Swift (EA,MA)	60.1	4x114,3	RM: M 12 x 1,25	90
	Swift Sport (MZ)	60.1	5x114,3	RS: M 12 x 1,5	100
	SX 4 (GY)	60.1	5x114,3	RM: M 12 x 1,25	100
	SX 4 (EY)	60.1	5x114,3	RS: M 12 x 1,5	100
	SX 4 S-Cross (JY)	60.1	5x114,3	RS: M 12 x 1,5	90
	Vitara (ET,SA)	110.5	5x139,7	RM: M 12 x 1,25	110
	Vitara (LY)	60.1	5x114,3	RS: M 12 x 1,5	90
	Wagon R bis 2003 (EM,MM)	54.1	4x100	RM: M 12 x 1,25	90
	Wagon R ab 2004 (MM,H00)	54.1	4x100	RS: M 12 x 1,5	110
	Wagon R+ (MM,H00)	54.1	4x100	RS: M 12 x 1,5	110
Tesla	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Model S, Model X (002)	64.1	5x120	RM: M 14 x 1,5	175
Toyota	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Auris(E15.)	60.1	5x114,3	RM: M 12 x 1,5	110
	Aygo (AB1)	54.1	4x100	RS: M 12 x 1,5	110
	Avensis (T22,T25)	54.1	5x100	RM: M 12 x 1,5	110
	Avensis (T25,M2)	60.1	5x114,3	RM: M 12 x 1,5	110
	Avensis (T27)	60.1	5x114,3	RM: M 12 x 1,5	135
	Camry (V2)	54.1	5x100	RM: M 12 x 1,5	110
	Camry (V2,.3,.10,.W)	60.1	5x114,3	RM: M 12 x 1,5	110
	Carina (T15,T17)	54.1	4x100	RM: M 12 x 1,5	110
	Carina (T19)	54.1	5x100	RM: M 12 x 1,5	110
	Celica (T16,T18)	54.1	4x100	RM: M 12 x 1,5	110
	Celica (T20,T23)	54.1	5x100	RM: M 12 x 1,5	110
	C-HR (AX1T)	60.1	5x114,3	RM: M 12 x 1,5	110
	Corolla (E..)	54.1	4x100	RM: M 12 x 1,5	110
	Corolla (E15..)	60.1	5x114,3	RM: M 12 x 1,5	110
	Corolla Verso (R1)	60.1	5x114,3	RM: M 12 x 1,5	110
	GT86 (ZN)	56.1	5x100	RM: M 12 x 1,25	120
	Hilux (N1,11,16,17,25)	106.1	6x139,7	RM: M 12 x 1,5	120
	IQ (AJ1)	54.1	4x100	RM: M 12 x 1,5	110
	Landcruiser (J9,J12,J15)	106.1	6x139,7	RM: M 12 x 1,5	130
	Landcruiser (J10,20)	110.1	5x150	RM: M 14 x 1,5	150
	MR 2 (W1,W3)	54.1	4x100	RM: M 12 x 1,5	110
	MR 2 (W2,W20)	60.1	5x114,3	RM: M 12 x 1,5	110
	Paseo (L5)	54.1	4x100	RM: M 12 x 1,5	110
	PicNic (XM1)	60.1	5x114,3	RM: M 12 x 1,5	110
	Previa (CR,C)	60.1	5x114,3	RM: M 12 x 1,5	110
	Prius (HW,XW,XW5,XW5P)	54.1	5x100	RM: M 12 x 1,5	110
	PriusPlus (XW4a)	54.1	5x100	RM: M 12 x 1,5	110

	Starlet (P7,P8,P9)	54.1	4x100	RM: M 12 x 1,5	110
	Supra (A7,A8)	60.1	5x114,3	RM: M 12 x 1,5	110
	Tercel (L2,L25)	54.1	4x100	RM: M 12 x 1,5	110
	Urban Cruiser (XP11)	54.1	5x100	RM: M 12 x 1,5	110
	Verso (AR2)	60.1	5x114,3	RM: M 12 x 1,5	110
	Verso S (XP12)	54.1	5x100	RM: M 12 x 1,5	110
	Yaris Verso (P1,2,XP9,XP13M)	54.1	4x100	RM: M 12 x 1,5	110
Volvo	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	C30 (M)	63.4	5x108	RM: M 12 x 1,5	120
	C70 (M)	63.4	5x108	RM: M 12 x 1,5	120
	C70 (N)	65.1	5x108	RS: M 12 x 1,75	140
	S40 (V)	67.1	4x114,3	RM: M 12 x 1,5	100
	S40 (M)	63.4	5x108	RM: M 12 x 1,5	120
	S60 (F)	63.4	5x108	RS: M 14 x 1,5	140
	S70 (L)	65.1	5x108	RS: M 12 x 1,75	140
	S60 (R,H)	65.1	5x108	RS: M 14 x 1,5	130 - 170
	S80 (A)	63.4	5x108	RS: M 14 x 1,5	140 - 170
	S80 (T,K)	65.1	5x108	RS: M 14 x 1,5	140
	S90 (9)	65.1	5x108	RM: M 12 x 1,5	110
	S90 (P)	63.4	5x108	RS: M 14 x 1,5	140
	V40 (M)	63.4	5x108	RM: M 12 x 1,5	130
	V40 (V)	67.1	4x114,3	RM: M 12 x 1,5	100
	V50 (M)	63.4	5x108	RM: M 12 x 1,5	120
	V60 (F)	63.4	5x108	RS: M 14 x 1,5	120
	V70 (B)	63.4	5x108	RS: M 14 x 1,5	140 - 170
	V70 (L)	65.1	5x108	RS: M 12 x 1,75	140
	V90 (9)	65.1	5x108	RM: M 12 x 1,5	110
	V90 (P)	63.4	5x108	RS: M 14 x 1,5	140
	V70 (S,J)	65.1	5x108	RS: M 14 x 1,5	130
	XC40 (X)	63,4	5x108	RS: M 14 x 1,5	140
	XC60 (D,U)	63.4	5x108	RS: M 14 x 1,5	140 - 170
	XC70 (B)	63.4	5x108	RS: M 14 x 1,5	140
	XC70 (S)	65.1	5x108	RS: M 14 x 1,5	130
	XC90 (C)	67.1	5x108	RS: M 14 x 1,5	140
	XC90 (L)	63.4	5x108	RS: M 14 x 1,5	140
	440 460 480 (E...K...L...)	52.1	4x100	RS: M 12 x 1,25	90
	850 (LS,LW)	65.1	5x108	RS: M 12 x 1,75	110
	960 (964-965)	65.1	5x108	RM: M 12 x 1,5	110
VW	Modellreihe	Nabe	Lz Lk	Radbefestigung	Nm
	Amarok (2H)	65.1	5x120	RS: M 14 x 1,5	180

	Arteon (3H)	57.1	5x112	RS: M 14 x 1,5	140
	Bus T2, T3 (2..)	66.6	5x112	RS/RM: M 14 x 1,5	140
	Bus T4 (70..,7..)	57.1	5x112	RS: M 14 x 1,5	170
	Bus T5, T6 (7..)	65.1	5x120	RS: M 14 x 1,5	180
	Beetle (9C,1Y)	57.1	5x100	RS: M 14 x 1,5	120
	Beetle (16)	57.1	5x112	RS: M 14 x 1,5	120
	Bora (1..)	57.1	5x100	RS: M 14 x 1,5	120
	Caddy (9..,14..)	57.1	4x100	RS: M 12 x 1,5	110
	Caddy (2K,2KN)	57.1	5x112	RS: M 14 x 1,5	130
	Corrado (53I)	57.1	4x100	RS: M 12 x 1,5	110
	Corrado (53I)	57.1	5x100	RS: M 14 x 1,5	110
	Crafter (2E..)	84.1	6x130	RS: M 14 x 1,5	180
	Derby (86..)	57.1	4x100	RS: M 12 x 1,5	110
	Eos (1F)	57.1	5x112	RS: M 14 x 1,5	120
	Fox (5Z)	57.1	5x100	RS: M 14 x 1,5	120
	Golf I, II, III (17..,19..)	57.1	4x100	RS: M 12 x 1,5	110
	Golf Cabrio (155)	57.1	4x100	RS: M 12 x 1,5	110
	Golf III, IV (19..,1..)	57.1	5x100	RS: M 14 x 1,5	120
	Golf V, VI (1K..)	57.1	5x112	RS: M 14 x 1,5	120
	Golf VII Sportsvan (AU,AUV)	57.1	5x112	RS: M 14 x 1,5	120
	Jetta (17..,19..)	57.1	4x100	RS: M 12 x 1,5	110
	Jetta (1K..,16,H)	57.1	5x112	RS: M 14 x 1,5	120
	LT	84.1	5x130	RS: M 14 x 1,5	180
	Lupo (6..)	57.1	4x100	RS: M 12 x 1,5	110
	Passat (32B,35I)	57.1	4x100	RS: M 12 x 1,5	110
	Passat (35I)	57.1	5x100	RS: M 14 x 1,5	120
	Passat (3B,3BG,3C,3CC)	57.1	5x112	RS: M 14 x 1,5	120
	Phaeton (3D)	57.1	5x112	RS: M 14 x 1,5	130
	Polo (86,6..)	57.1	4x100	RS: M 12 x 1,5	110
	Polo (6R,9N,AW)	57.1	5x100	RS: M 14 x 1,5	120
	Scirocco (53,53B)	57.1	4x100	RS: M 12 x 1,5	110
	Scirocco (13)	57.1	5x112	RS: M 14 x 1,5	120
	Sharan (7M)	57.1	5x112	RS: M 14 x 1,5	170
	Sharan (7N)	57.1	5x112	RS: M 14 x 1,5	140
	Taro (7AX1)	106.1	6x139,7	RM: M 12 x 1,5	110
	Tiguan (5N)	57.1	5x112	RS: M 14 x 1,5	130
	Touran (1T)	57.1	5x112	RS: M 14 x 1,5	120
	Touareg R5 (7L)	65.1	5x120	RS: M 14 x 1,5	180
	Touareg (7L)	71.6	5x130	RS: M 14 x 1,5	170
	Touareg (7P,7PH)	71.6	5x130	RS: M 14 x 1,5	180

	T-ROC (A1)	57.1	5x112	RS: M 14 x 1,5	140
	Up! (AA.)	57.1	4x100	RS: M 12 x 1,5	110
	Vento (1..)	57.1	4x100	RS: M 12 x 1,5	110
	Vento (1..)	57.1	5x100	RS: M 14 x 1,5	120